Journal of Immunological Methods, 139 (1991) 299–300

© 1991 Elsevier Science Publishers B.V. 0022-1759/91/$03.50

Contents to volume 39 (1991)

Number 1 – 17 May 1991

Review article

The preparation of effector cells for use in the adoptive cellular immunotherapy of human cancer
J.R. Yanelli (U.S.A.) 1

Research reports

A one step sandwich enzyme immunoassay for γ-carboxylated osteocalcin using monoclonal antibodies
N. Koyama, K. Ohara, H. Yokota, T. Kurome, M. Katayama, F. Hino, I. Kato and T. Akai (Japan) 17

Identification and quantification of human peripheral blood lymphocytes and monocytes following migration into nitrocellulose filters
E. Schell-Frederick, G. Karrenbrock, T. Tepass, E. Risch and V. Diehl (F.R.G.) 25

An appropriate in vitro culture condition for the induction of human TCRγδ$^+$ cells by heat-killed bacteria
S. Seki, T. Abo, H. Sakihara, K. Sugiura, A. Kanno, H. Rikiishi, T. Masuda and K. Kumagai (Japan) 31

Soluble HLA-A2.1 restricted peptides that are recognized by influenza virus specific cytotoxic T lymphocytes
M.A. Bednarek, S.A. Engl, M.C. Gammon, J.A. Lindquist, G. Porter, A.R. Williamson and H.J. Zweerink (U.S.A.) 41

Purification of staphylococcal enterotoxins A and E by immunoaffinity chromatography using a murine monoclonal antibody with dual specificity for both of these toxins
K. Shinagawa, M. Mitsumori, N. Matsusaka and S. Sugii (Japan) 49

Stability of monoclonal antibody-defined epitopes
B.E. Wilson, S. Sun, M. Ozturk and J.R. Wands (U.S.A.) 55

Cytofluorometric detection of human endothelial cells in whole blood using S-Endo 1 monoclonal antibody
F. George, P. Poncelet, J.C. Laurent, O. Massot, D. Arnoux, N. Lequeux, P. Ambrosi, C. Chicheportiche and J. Sampol (France) 65

A microELISA system for the detection of both anti-HIV-1 and anti-HIV-2 antibodies
E.D. Sprengers, J.A. Hellings, H.J. Theunissen and P.B.W. Ten Kortenaar (The Netherlands) 77

Purification of anti-epithelial mucin monoclonal antibodies by epitope affinity chromatography
M.R. Price, M. Sekowski and S.J.B. Tendler (U.K.) 83

The specificity of the anti-dsDNA ELISA. A closer look
K. Brinkman, R. Termaat, H. Van den Brink, J. Berden and R. Smeenk (The Netherlands) 91

Protein growth factor(s) from C6 glioma cells that promote the growth of murine hybridomas
K.G. Gomathi, E. Sharma and S.K. Sharma (India) 101

Macrophage NO_2^- production as a sensitive and rapid assay for the quantitation of murine IFN-γ
P. Migliorini, G. Corradin and S.B. Corradin (Switzerland) 107

A fluorescence technique to distinguish attached from ingested erythrocytes and zymosan particles in phagocytosing macrophages
S. Greenberg, J. El Khoury, E. Kaplan and S.C. Silverstein (U.S.A.) 115

Production and isolation of guinea pig IgE antibody
M. Karol, R. Jin, M. Bennedsen and F. Vaughan (U.S.A.) 123

Screening of various mammalian cell culture media to establish a downstream purification scheme
H. Graf, J.-N. Rabaud and J.-M. Egly (France) 135

Letters to the editors

Failure to demonstrate TNFα-specific autoantibodies in human sera by ELISA and Western blot
H.-G. Leusch, G. Sitzler and S. Markos-Pusztai (F.R.G.) 145

Alkaline phosphatase-Fast Red fluorescence. Rediscovery of a useful label?
E. Claassen (The Netherlands) 149

Reply to the letter of E. Claassen
E.J. Jenkinson (U.K.) 151

Notes to authors 153

Number 2 – 3 June 1991

Research reports

Systematic fractionation of serum antibodies using multiple antigen homologous peptides as affinity ligands
G. Tribbick, B. Triantafyllou, R. Lauricella, S.J. Rodda, T.J. Mason and H.M. Geysen (Australia) 155

Detection of distinct species in purified human respiratory mucin using monoclonal antibodies
Y. Kanamaru, B. Naziruddin, D.C. Graves, S. Reyes de la Rocha and G.P. Sachdev (U.S.A.) 167

The use of polyclonal activators in the production of murine monoclonal and polyclonal antibodies
P.L. Fiori and P. Rappelli (Italy) 181

Evaluation of a test system for measuring cytokine production in human whole blood cell cultures
U. Elsässer-Beile, S. Von Kleist and H. Gallati (F.R.G., Switzerland) 191

Colony assays for antibody fragments expressed in bacteria
M.L. Dreher, E. Gherardi, A. Skerra and C. Milstein (U.K., F.R.G.) 197

Screening cDNA expression libraries in λgt11 with a T cell hybridoma
S. Gillard-Blaas, M. Ayane, C. Wirbelauer and J. Langhorne (F.R.G.) 207

A new cell line for the production of chicken monoclonal antibody by hybridoma technology
S. Nishinaka, T. Suzuki, H. Matsuda and M. Murata (Japan) 217

Isolation of brain parenchymal lymphocytes for flow cytometric analysis. Application to acute viral encephalitis
D.N. Irani and D.E. Griffin (U.S.A.) 223

A convenient human whole blood culture system for studying the regulation of tumour necrosis factor release by bacterial lipopolysaccharide
B.M.G. Wilson, A. Severn, N.T. Rapson, J. Chana and P. Hopkins (U.K.) 233

A Nycodenz gradient method for the purification of neutrophils from the peripheral blood of rats
G.E. Freeman, C.A. Dalton and P.M. Brooks (Australia) 241

Combined detection of phenotype and Y chromosome by immunoenzyme labelling and in situ hybridisation on peripheral lymphocytes
Q. Wang, A.W. Rowbottom, P.G. Riches, G. Dadian and J.R. Hobbs (U.K.) 251

Sensitive one-step enzyme immunoassay for HIV-1 p24 antigen in human blood specimens and cell culture supernatants
S. Kontio (Finland) 257

Determination of anti-IgA antibodies with a flow cytometer-based microbead immunoassay (MIA)
M.T. Syrjälä, H. Tölö, J. Koistinen and T. Krusius (Finland) 265

A rapid and simple method for measuring thymocyte apoptosis by propidium iodide staining and flow cytometry
I. Nicoletti, G. Migliorati, M.C. Pagliacci, F. Grignani and C. Riccardi (Italy) 271

Quantification of effector/target conjugation involving natural killer (NK) or lymphokine activated killer (LAK) cells by two-color flow cytometry
G. Radcliff, R. Waite, J. LeFevre, M.D. Poulik and D.M. Callewaert (U.S.A.) 281

Letter to the editors

Comparison between the sensitivity of the hemolytic plaque-forming cell assay and the enzyme-linked immunospot assay in detecting B cells producing trinitrophenyl- or sheep erythrocyte-specific IgM and IgG antibodies
B. Heyman, I. Brogren and L. Klareskog (Sweden) 293

Software notice

AFFINOGEN – a program for affinity spectrum reconstruction
D.K. Yuryev (U.S.S.R.) 297

Contents to volume 139 (1991) 299

Notes to authors 301